
## Northwestern

## **Portable Ladder Safe Work Practices**

## **General Precautions**

- Only use ladders and appropriate accessories (ladder levelers, jacks, or hooks) for their designed purposes.
- ✓ Do not place a ladder on boxes, barrels, or other unstable bases to obtain additional height.
- ✓ Do not move or shift a ladder while a person or equipment is on the ladder.
- ✓ Use a ladder only on a stable and level surface, unless it has been secured (top or bottom) to prevent displacement.
- ✓ A ladder placed in any location where it can be displaced by other work activities must be secured to prevent displacement or a barricade must be erected to keep traffic away from the ladder.








- Always maintain 3points (two hands and a foot, or two feet and a hand) contact on the ladder when climbing.
- Keep your body near the middle of the step and always face the ladder while climbing.



 Be sure that all spreaders and locks are properly engaged.

An extension or straight ladder used to access an elevated surface must extend at least 3 feet above the point of support.



✓ Do not stand on the three top rungs of a straight, single, or extension ladder.

The proper set-up angle is to place the ladder base 1/4 of the working length of the ladder from the wall or other vertical surface.

✓ Read and follow all labels/markings on the ladder.



Do not exceed the maximum load rating of a ladder. Be aware of the ladder's load rating and of the weight it is supporting, including the weight of any tools or equipment

- ✓ Look for overhead power lines before handling a ladder.
- ✓ Do not use a metal ladder near power lines or exposed electrical equipment.



Learn more: Complete Ladder Safety training and review the March 2019 and September 2017 Spotlights on Safety.

## **Questions?**